Thorsten Pöschel, Stefan Luding (Eds.)

Granular Gases

Springer

Berlin Heidelberg New York

Barcelona Budapest Hong Kong

London Milan Paris

Santa Clara Singapore Tokyo

Contents

I. Kinetic Theory and Hydrodynamics
Kinetic Theory of Granular Gases
Free Cooling of Particles with Rotational Degrees of Freedom 31 T. Aspelmeier, M. Huthmann, A. Zippelius
Hydrodynamic Transport Coefficients of Granular Gases 59 J.J. Brey, D. Cubero
Granular Gases: Probing the Boundaries of Hydrodynamics 79 I. Goldhirsch
Granular Gases with Impact-Velocity-Dependent Restitution Coefficient 100 N.V. Brilliantov, T. Pöschel
Boundary Conditions for Collisional Grain Flows at Bumpy, Frictional Walls
Diffusion Process in Two-Dimensional Granular Gases 140 C. Henrique, G. Batrouni, D. Bideau
II. Collisions and One-Dimensional Models
Energy Loss and Aggregation Processes in Low Speed Collisions of Ice Particles Coated with Frosts or Methanol/Water Mixtures
Contact Mechanics and Coefficients of Restitution
Kinetic Theory for 1D Granular Gases
Chains of Viscoelastic Spheres

III. Vibrated Granular Media
Experimental Studies of Vibro-fluidised Granular Beds 215 R.D. Wildman, J.M. Huntley, JP. Hansen
Pattern Formation in a Vibrated Granular Layer
Experimental Study of a Granular Gas Fluidized by Vibrations
Computer Simulation of Vertically Vibrated Granular Layers in a Box with Sawtooth-Shaped Base
Resonance Oscillations in Granular Gases
IV. Granular Astrophysics
Dynamical Evolution of Viscous Discs. Astrophysical Applications to the Formation of Planetary Systems and to the Confinement of Planetary Rings and Arcs
Numerical Simulations of the Collisional Dynamics of Planetary Rings
Formation of Narrow Ringlets in Saturn's Rings
Granular Viscosity, Planetary Rings and Inelastic Particle Collisions
V. Towards Dense Granular Systems
The Equation of State for Almost Elastic, Smooth, Polydisperse Granular Gases for Arbitrary Density

Experimental Observations of Non-equilibrium Distributions and Transitions in a 2D Granular Gas
Effect of Excluded Volume and Anisotropy on Granular Statistics: "Fermi Statistics" and Condensation 429 $\it D.C.\ Hong$
How Much Can We Simplify a System of Grains?

IX

Contents

Preface

"Granular Material" as a subject of physical research has a long standing history. Eminent scientists such as Coulomb, Faraday, Hagen, Huygens, Rayleigh, Reynolds, and others contributed to the body of research. Following the early days, however, the physical approach gave way to engineering disciplines. Among other reasons, the enormous advances in computing power rekindled the scientific interest of physicists. In the last decade large-scale simulations of granular systems have given new insights into the nature of granular materials – and continue to do so.

In the strict definition, "Granular Gases" are dilute granular systems, i.e., many-particle systems, in which the mean free path of the particles is much larger than the typical particle size. This condition implies that the duration of particle contacts is much shorter than the mean flight time. In contrast to molecular gases, in Granular Gases the particle collisions occur dissipatively, i.e., in each binary collision the particles lose part of the kinetic energy of their relative motion. The dissipation of kinetic energy causes a series of nontrivial effects, such as the formation of clusters and other spatial structures, non-Maxwellian velocity distributions, anomalous diffusion, correlations in the velocity field, characteristic shock waves, and others. In the dilute limit and with the assumption of weak dissipation the formal similarity of natural gases and Granular Gases allows us to also describe the latter using the powerful tools of classical Statistical Mechanics, Kinetics, and Hydrodynamics. Granular Gases provide, more than any other granular system, the possibility of conducting simultaneously experimental and theoretical studies and numerical simulations as well. Part I of the volume comprises rigorous theoretical results for the dilute limit.

Such theoretical descriptions of a Granular Gas as a many-particle system requires comprehensive understanding of the details of collisions of only two isolated grains. Without this knowledge it would be impossible to deduce the macroscopic properties of Granular Gases. The properties of binary collisions and simple one-dimensional models are the subject of Part II.

Part III contains experimental investigations of Granular Gases: In order to maintain a steady gaseous state under gravity conditions, the material has to be excited externally to balance the loss of kinetic energy due to inelastic particle collisions. Ideally, the energy feed would be homogeneous and isotropic throughout the system, which is certainly difficult to achieve in an experiment. For the experimental investigation of Granular Gases feeding energy by mechanical vibrations of the container has proven to be a good compromise – to date all earthborn experiments make use of vibrated containers.

Large-scale Granular Gases in steady state are found in astrophysical systems as discussed in Part IV. The rings around the outer planets of the Solar System have been intensively studied for centuries and lots of data exist from earthbound and missile observations. Although there are still many open questions, several aspects of the rich structure of planetary rings are well understood. Therefore, planetary rings offer a wide field for practical application of Granular Gas theory and may, thus, serve as test systems to validate theoretical results.

The last part (Part V) of the book is devoted to possible generalizations with respect to increased density. High-density Granular Gases, in a broader sense, can be defined as systems with instantaneous binary collisions, i.e., only by the condition that the contact duration is thought to be negligible and, hence, does not affect the overall properties of the many-particle system. From the theoretical point of view this definition is more problematic since the assumption of Molecular Chaos as a prerequisite of simple kinetic theory may be violated. Nevertheless, many interesting phenomena occur in systems of increased density and there is a need to thus generalize the theory. The motivation for extending the gas picture to higher density is to bridge the still-existing gap between Kinetic Theory and fluid dynamics approaches, which are very successfully applied in engineering.

The articles in this volume are selected contributions of the conference "Granular Gases" held from March 8 to 12, 1999 in Bad Honnef. Many of the authors are renowned experts in the field and have decisively shaped the present state of knowledge. Therefore, the articles in this volume cover a large part of the present knowledge about Granular Gases, ranging from investigations of two-particle interactions to Kinetic Theory of dilute many-particle systems and numerical simulations of rather dense systems.

In order to find a wide readership not only among experts, but also among undergraduate and graduate students, the authors have been asked to present their material in a self-contained and pedagogical way. All contributions have been carefully refereed.

The editors are grateful to all authors for their contributions and to the referees whose comments considerably improved the manuscripts. Claudia Kunze, Marlies Parsons, and Simon Renard are acknowledged for support in typesetting. Finally, the Wilhelm-und-Else-Heraeus-Stiftung is acknowledged for financial support.

Berlin, Stuttgart, September 2000 Thorsten Pöschel Stefan Luding